DRUGS OF ABUSE







CNS DEPRESSANTS - Drugs that depress the overall functioning of the Central Nervous System (CNS) to induce sedation, muscle relaxation, and drowsiness*.

* "Uppers, Downers, All Arounders, 3rd Edition", CNS Productions



ALCOHOL



- * Alcohol is the MOST ABUSED drug by Soldiers.
- * Alcohol is a Central Nervous System (CNS) depressant.
- * Alcohol is considered to be a gateway drug to other drug use.
- * A standard alcohol drink is considered to be:
 - © One 12-ounce bottle of beer/wine



ALCOHOL



*Alcohol is also known as:

- Juice
- Sauce
- Booze
- Grog Piss



- Slurred Speech
- Blurred Vision

Loss ofInhibitions

- Impaired Motor
- Skills
- Nausea/Vomiting Unconsciousness



BARBITURATES



- *Barbiturates are prescription sedatives or tranquilizers.
- Barbiturates are multi-colored pills and tablets and are Central Nervous System (CNS)

depressants that cause

d Powein e Steepers Stumblers

Barbs Devils Rainbows

* Barbiturates are also known as:

BARBITURATES

- •Barbiturates are most often consumed to get "high".
 - •Barbiturates can cause: Sleepiness Irre
- Irregular Menstruation
- Nausea/Dizziness Vertigo
- Impaired Senses
- Lack of Motivation Coma
- Death Loss of Sexual Drive
- •Barbiturates are prescribed to
 - Anxiety
 - Depression
 - **Epilepsy**
 - 🕽 Insomnia
 - Alcohol and Other Drug (AOD) Withdrawal



KETAMINE

- * Ketamine, or ketamine hydrochloride, is a Central Nervous System (CNS)
 Depressant and a dissociative anesthetic, or a drug that separates perception from sensation.
- * Ketamine is used primarily as an anesthetic in veterinary medicine, but is also sometimes used with small children and the elderly.
- * Ketamine can be found as a clear white liquid or as a white powder.

KETAMINE

- * Ketamine can be ingested several different ways:
 Injected Smorted Smoked or liquid form
- * Ketamine is also called: | Kit Kat | Special K | Super Acid







KETAMINE SIDE EFFECTS

- Chronic
 Depression
 High Blood
 Pressure
 Muscle Rigidity
- RespiratoryDistressParalysis
- Stroke
- Heart Attack

- Death
- "K-Hole" Slang for the near- death or out-of-body experience that Ketamine causes.



OPIATES


- · Opiates are drugs that are derived from the Poppy
- Plant and are Central Ne (CNS) depressants.
- The most common opial
 - **>Opium**
 - >Heroin
 - **Morphine**
 - **Codeine**



· Opinick arsominum by waver conjugate the nantifewer | Hazel | Morf | H

HOW ARE OPIATES CONSUMED?


Snorted -Because of the high potency of heroin today, more and more users are snorting the <u>Smoked</u> - The method of choice for opium is smoking the tar like substance. Other opiates are often smoked on top of marijuana. This is known as "snow capping".



<u>Injected</u> - Injecting opiates, specifically heroin, is still the choice ingestion method. Many addicts choose to inject the drug because of the quick and powerful onset of the effects. Users can inject the prescription pain killers on the market today are opiates.

OPIATES SIDE EFFECTS

- Absence of Stress Process
- Nausea/Vomiting Collapsed Veins
- Sleepiness
- Constipation
- ItchySkin
- Impaired Vision



- MenstrualIrregularities
- Loss of Sex Drive

- LiverDamage
- KidneyDamage
- LungDamage
- BrainDamage
- ImmuneSystemDamage
- Overdose/Deat

OXYCONTIN

- · Oxycontin is a synthetic opium derivative that is available by prescription.
- · Oxycontin is an extremely potent pain killer that comes in time release tablets that last for up to twelve hours.

OXYCONTIN

• Oxycontin has been linked to over 120 overdose deaths nationwide. In addition to overdose, some

serious side Chestpain effects are:

Nausea/Vomitin

Muscle

Weakness/Aches

BreathingDifficulties

ficulties Seizures

Fever

g

Oxycontin is also called:

Oxycoffins

Oxycotton



GHB



- ▲ GHB, or Gamma Hydroxylbuteric acid, is a central nervous system (CNS) depressant that sometimes causes hallucinations.
- ▲ GHB is usually found as a clear liquid with a slightly salty taste, but can also be found as a small tablet or capsule, all of which dissolve quickly in liquid.
- ► GHB usually is sold by capful or teaspoon, also known as a "dose".



GHB



GHB is also known as:

Georgia Home

Boy

Liquid X


Gamma X

Gook

Fantasy

Grievous Bodily

Harm



amount consumed and can be felt within

one hour of ingestions

Pizziness/Nausea

Problems

Inhibitions

Grogginess

Coma/Death



ROHYPNOL



- · Rohypnol (chemical name fluritzrazepam) is a CNS Depressant that is more than ten times as strong as Valium.
- Rohypnol belongs to the benzodiazepines family, which also includes drugs such as Valium, Librium, and Xanax.
- · Rohypnol is known as a "Date Rape Drug" due to its association with sexual assaults.
- · Rohypnol is almost always ingested orally in either, the pill form or discolved in a

ROHYPNOL

- Rohypnol is sometimes also called:
 - > Forget Me
 - **Roophies Drug**
 - > Rope > Circles

- > Roach
- > Rib
- There are several side effects associated with Rohypnol use:
 - Disinhibition
- Blackouts (can last8-24 hours)
- Slurred Speech
- Aggressive Behavior Dizziness/Nausea
- Amnesia

- Overdose
- Respiratory DistresDeath



Though typically white in color, flunitrazepam pills recently seized in Egypt were of a brownish-pink tint, indicating a counterfeit product.

CNS: STITIMITHEANITIS: -. Drugs: that increase the chemical and electrical activity of the Central Nervous System (CNS) and make the user more alert, active, anxious, restless and, in general, more stimulated than

normal*.



AMPHETAMINES



Amphetamines are generally a white or off- white powder that can be ingested orally, snorted, or injected.

The side effects of amphetamine

abousiness Mausea i richtige:
Heartbeat

- DecreasedAppetite
- **Body Tremors**
- Loss of
- Coordination
- Chronic
- **Psychosis**

- Chronic Anxiety
- Brain Damage
- Coma/Death

AMPHETAMINES

- Amphetamines are powerful stimulants that increase activity in the Central Nervous System (CNS), or speed up the way the human body works.
- Amphetamines are drugs that induce false feelings of power, stream assertion and enhanced n
- Angabetaminges arguebekung
 - Wake Ups | Bennies | Crystal



- * Methamphetamine is a powerful, synthetic Central Nervous System (CNS) Stimulant.
- * Methamphetamine is generally a white or off-white powder that can be ingested several different ways:
 - Orally In a pill form
 - Snorted This can cause severe damage to the interior and exterior of the nose.
 - Intravenously The methamphetamine can be injected into either the blood stream or the muscle tissue
 - Smoked Methamphetamine is sometimes

MIETTHAMPHETAMINE

- Methamphetamine is also known as:
- - Meth
- The side effects of methamphetamine are so serious that they can effect the abuser for the rest of their life: Anxiety/Panic Birth Defects

 - Depression
 - Pishta Disorders
 - **Immune System Damage**

- Severe
- **Psychological**
- Psehlems
- Death

COCAINE

- Cocaine is a bitter, white, odorless, crystalline drug.
- Cocaine is a Schedule II drug and is classified as a CNS stimulant.
- Cocaine is extracted and refined from the Coca Plant, w primarily in the Andean South America.

 - Dust Blow Candy Cocaine is also known



COCAINE



Dilated

Plilifeased Heart

Rate

Nausea/Vomitin

a

Psychosis

Fear/Paranoi

aKidney

Failure

Seizures

| Strokes

Overdose/Deat

h

The level and length of the effects depend on how the drug was induced.

Onset Duration

Onset Duration

Snorted 1 minute 20-40 Minutes

 $\begin{array}{ccc} \textbf{Injected} & \begin{array}{ccc} \textbf{1-5} & & \textbf{15-20} \\ \textbf{Seconds} & \textbf{Minutes} \end{array}$

HALLUCINOGENS - Drugs that cause intensified sensations, mixed-up sensations (visual input becomes sound), illusions, delusions, hallucinations, stimulation, and impaired judgment and "Uppers, Downers, All Arounders, 3rd Edition", One Projection Of Line Of Edition",

LSD

- I LSD is hallucinogenic chemical that is derived from a parasitic fungus that grows on rye.
- I LSD is produced as a crystal, then dissolved in alcohol prior to sale and consumption.
- I LSD users describe their experience with the drug as a "trip".

 Aci Trips Ust 1814



LSD is generally taken orally, either as a pill, a piece of blotter paper (as seen on right), or via liquid dripped onto a sugar cube. LSD can also be absorbed through the users skin.





LSD SIDE EFFECTS



Physical side of effects of LSD include:

Dilated

Extreme

Loss of

Hostive Coleron

Time

PB8H\$

Appetites

Tremors

Most psychological side effects are due to severe changes to the users

periodition, thought, and usion of: Senses (i.e. Seeing Music and

Hallycipations

Depth

Perception Feelings of fear and anxiety - "BAD

True

of

Hallucinations



MUSHROOMS



- I Mushrooms that contain <u>PSILOCYBIN</u> are known as 'magic mushrooms' as they contain hallucinogenic properties.
- I Magic mushrooms have been used by several cultures to induce altered states of consciousness during their religious rituals.
- Mushrooms can be consumed in a variety of manners:
 - *Eaten Either raw or cooked, much like nonhallucinogenic mushrooms.
 - Drank Heated with water to make a tea or

MUSHROOMS

The side effects of Mushrooms vary greatly depending upon the strength and purity of the

fungus:

Stomach Pains

> Mental Disorders

Increased Heart Rate

>Anxiety/Panic Attacks

Nausea/Vomiting

Flashbacks

Diarrhea

Impaired Judgement

PCP


- PCP is classified as a hallucinogen and a dissociative anesthetic, or drug that separates perception from sensation.
- PCP comes in several form
 - > Crystalline Powder
 - > Colored Powder
 - > Diluted in Water
 - > Pills
 - Capsules
- PCP is also known as:

Dust

Boat

> Sherm

Dust



PCP

- PCP can be ingested several ways:
 - Orally In liquid or pill for
 - Smoked
 - Snorted
 - Injected
- PCP has been known to be asset in combination with other substances:
 - LSD "Super Tripping"
 - Marijuana "Killer Weed" or "Boat"
 - > Tobacco "Sherms", usually with menthol cigarettes to sooth the burning of the hot PCP smoke.
 - Mint/Parsley "Green"



PCP SIDE EFFECTS



The side effects of PCP use can cause serious long term damage to the human-hody:

Rate

Nausea/Vomiting

- > Loss of Reflexes
- ChronicPsychosis

- **Kidney Failure**
- > Brain

Hemorrhaging

- Schizophrenia
- > Coma
- Death

Cigarette with PCP in Formaldehyde

MIND ALTERING DRUGS -Drugs that cannot be classified into any single category. Mind altering drugs can contain CNS depressant, CNS stimulant, and/or hallucinogenic

properties.

* "Uppers, Downers, All Arounders, 3rd Edition", CNS Productions



THC



- THC (Marijuana) is the MOST ABUSED illicit drug in the United States Army and is considered to be a "Gateway Drug".
- Delta 9 Tetrahydrocannabinol (THC) is the active ingredient that causes the "high".
- THC is psychologically addictive abuse and addiction is frequently denied.
- · Marijuana is a psychoactive or mind altering drug.
 - Psychoactive drugs can produce a mind state similar to psychosis.

THC (THREE BASIC FORMS)

- * **Marijuana** Made from the leaves, flowers or stems of the hemp plant.
- Hash/Hashish Concentrated form of marijuana by compressing marijuana resins into small blocks.
- * <u>Hash Oil</u> Made by soaking marijuana in a chemical solvent (such as rubbing alcohol) and then evaporating the solvent to obtain an oil concentrate.



THIC

- · THC is also called:
 - □ Weed □ Grass □ Dope
 - Green Bud Joints Tar

Blunts

HC is associated with many side effe

- Short Term **Memory**
- Mouth/Throat Sleepiness
- Increased Heart Rate

- Paranoia
 Loss of Sexual Drive
- Hallucinations Bronchitis
- Panic Attacks Lung Cancer

INHALANTS

- Inhalants are breathable chemical vapors that produce mind altering effects.
- Inhalants are often abused because they are readily available, inexpensive, and can be found almost anywhere.
- There are three different types of

inhalants:

Solvents

Gases

Nitrites



HOW ARE INHALANTS INGESTED?

¥ Inhalants are ingested into the body by breathing in the vapors of the product. Several methods of inhalation are used by abusers:

Use of a Bag - The bag is filled with the umes and the user breathes air from the ag.

Sometimes users will put their ntire head into the bag.

Use of a Rag - The rag is soaked in the roduct and the user presses the rag over his/her mouth and nose.

Pressurized Containers - Some abusers will inhale the product directly from the container.

INHALANTS

- Many of the products that are abused are everyday household items:
 - Glue/Rubber
 - **Cement**
 - White-out
 - Aerosols/Hair
 - **Spray**

- Toxic Markers
- Gasoline/Propane
- Room Odorizers
- Use of inhalants can cause seriou
 long term damage to the
- h Sight/Misjondy:
 - **Disorders**
 - Liver Damage
 - Kidney Damage

- Bone Marrow
- **Damage**
- Brain Damage

NITROUS

OXIDE

Paralysis/Death

PEFORMANCE ENHANCING **DRUGS** - Energy producing drugs that are thought to possess various capabilities to boost an athlete's performance by giving them a competitive edge*, All Arounders, 3rd Edition",

ANABOLIC-ANDROGENIC STEROIDS

Anabolic Steroids are synthetic drugs that relate to the male sex hormones, or androgens.

Anabolic-androgenic Steroids are more commonly known as "Anabolic Steroids".

ANABOLIC-ANDROGENIC STEROLDS

Anabolic Steroids Effect the Human Body in Two Major Areas:

- 1) The anabolic effects of the drugs promote the growth of skeletal muscle.
- 2) The androgenic effects of the drugs promote the development of male sexual characteristics.

HOW ARE THEY

ENS.

Anabolic Steroids can be ingested in a variety of ways:

- 1) Orally In a pill or liquid form.
- 2) Intravenously Injected with the use of a hypodermic needle.
- 3) Rubbed onto the skin with the steroid in a gel or cream form.
- ***Some steroid users mix different types and amounts of these drugs to increase the effects. This is call "Stacking".***

STEROIDS SIDE EFFECTS

- Baldness
- Sterility
- Brain Damage
- Blood Clotting
- High BloodPressureLiver Cancer
- Hepatitis

- Eye Infections
- Kidney Disease
- ChronicDepressionLoss of Memory
- Loss of Interest
- "Roid Rage" An over aggressive, and sometimes homicidal, attitude associated with storoid use



UNITED STATES ARMY CENTER FOR SUBSTANCE ABUSE PROGRAMS



For more Information Contact: ACSAP

E-mail: upl.acsap@usadaoa-emh1.army.mil